


APP-PSEN1(U) Genotyping Protocol



Common Name	APP-PSEN1(U)	Cat. NO.	NM-KI-233917
Strain of Origin	C57BL/6J	Version	V1


Genotyping strategy



Primers

Primer	Sequence (5' → 3')	Primer type
P1	TCCAGAGACTGTCCCACTGT	Forward
P2	CATGCCATCACCTCCACTT	Reverse
P4	GTGGATGTGGAATGTGTGCG	Reverse

Expected results

Results	 He He WT M DL2000 492bp 329bp bp 2000 1000 750 500 250 100 1.7% agarose
Genotype	Wild type: P1P2 =492 bp Heterozygote: P1P2 =492 bp; P1P4=329 bp Homozygote: P1P4 =329 bp

Reaction &Cycling

PCR Reaction System	Reaction Component	Volume (μl)
	ddH2O	7.5
	2×Taq Plus Master Mix	10.0
	P1(10 pmol/μl)	0.5
	P2(10 pmol/μl)	0.5
	P4(10 pmol/μl)	0.5
	Genomic DNA	1.0
	Total	20

	2×Taq Plus Master Mix from Vazyme(Code Number: P222-1)			
Cycling Reaction	Step	Temp	Time	Note
	1	95°C	5 min	
	2	95°C	20 sec	
	3	60°C	20 sec	
	4	72°C	20 sec	35 repeats to 2
	5	72°C	5 min	
	6	12°C	Hold	